




Policy Development Framework for Government IPv6 Deployment

Kenny Huang, Ph.D.
Board, TWNIC; AC ASO
huangk@mindext.com



Policy Theme





Options/Solutions for IPv4 Exhaustion

IPv6 excluded

- s1 CGN (Carrier Grade NAT)
 - Increase CapEx, reduce network quality
- s2 Transfer/Reclamation IPv4
 - C1: Cost of IPv4 ownership/right to use
 - C2: Renumber
 - C3: H/W S/W cost
- r1: exclusive
 - IPv6 is the only practical and readily resource after IPv4 exhaustion



implication to private/public sector for alternative solutions




- Implication to private sector
 - s1/s2 are all feasible solutions to private sectors. Corporate chooses solution based on its existing requirements
- Implication to public sector
 - Beyond s1/s2, public sector has to provide a feasible mechanism for r1 (IPv6)
 - Public section should consider IPv6 deployment is necessary but not sufficient requirement
 - In addition to deploy IPv6 (must), public sector can also choose s1/s2 based on its own requirements



Timing


- IPv4 exhaustion
 - IANA IPv4 exhausted in 2011 Feb
 - APNIC IPv4 exhausted in 2011 Aug
 - IPv6 is the only practical and readily resource
- Government IPv6 deployment in other countries
 - Several countries already launched government IPv6 plan

Timing – Future Potential





Geoffrey Moore's Technology Adoption Curve (Crossing the Chasm)

IPv6 location in 3 years



Timing – IPv6 Population Estimation



Assuming APNIC Exhaustion end of 2011, simulating IPv6 population in the end of 2012

Linear forecast

IPv6 deploy 5.3%, pure IPv6 3.3%

IPv6 population 160M

Pure IPv6 population 66M

TW pure IPv6 population 528K



Can't access IPv4 Internet



Activation Time

- Activation Time
 - Pure IPv6 ISP, IPv6 users can't access IPv4 Government networks and websites
 - Act Now
 - Government should issue a position statement in support IPv6 deployment now

- Cost variables for IPv6 deployment
 - One time or phased deployment
 - Coverage ?
 - How long
 - Indirect cost (Training, Security, Service Quality)
- Economical solution
 - Dynamic provisioning
 - Server system : hosting, or enable dualstack in legacy systems
 - Network traffic: Rate limiting



Taiwan Trade vs. IPv6 Allocation

	Taiwan Trade with Partners, Jan 2010 – Oct 2010	Share of Total Exports	Share of Total Imports	Share of IPv6 /48s Allocated to Date	Share of IPv6 /48s Allocated Per Capita
1	CHINA	28.129%	14.105%	0.28%	0.063
2	JAPAN	6.64%	20.916%	7.46%	7.195
3	UNITED STATES	11.395%	9.962%	10.68%	4.234
4	HONG KONG	13.868%	0.653%	0.03%	0.657
5	KOREA	3.9%	6.387%	3.57%	8.643
6	SINGAPORE	4.45%	3.102%	0.03%	0.785
7	GERMANY	2.352%	3.258%	7.18%	10.546
8	MALAYSIA	2.164%	3.097%	0.03%	0.15
9	SAUDI ARABIA	0.367%	4.735%	0.01%	0.105
10	AUSTRALIA	1.156%	3.62%	5.57%	31.669
	Total	74.42%	69.84%	34.84%	64.047
	TAIWAN	n/a	n/a	1.59%	9.418



Cost: Number Please

- Lack of Generalizability
 - IPv6 readiness varied among Gov agencies, thus transition cost are different
- Financial risk
 - Can't have precise financial measurement
 - Financial risk can be limited within an acceptable range through sizing/scoping IPv6 deployment
- Non-financial risk
 - Apply the existing IT practice /guideline to manage non-financial risk. Such as ITIL standards, Information Security ISO27000 series, or USG IT Enterprise Architecture



Initial Sizing

- DNS Capacity (IPv6 gov.tw)
 - v6 enable: activating dualstack in DNS and adding AAAA RR
 - expansion: no capacity expansion
 - connection : access IPv6 network or IPv6 colocation
- WWW Capacity
 - V6 enable: activating dualstack in the existing systems
 - expansion: existing WWW capacity x 3%-5%
 - connection : access IPv6 network or IPv6 colocation
- Network Capacity
 - V6 enable : activating dualstack in routers
 - expansion: existing bandwidth x3%-5%
 - Transit: purchase IPv6 Transit
 - Peering: deploy Layer2 switch for IPv6 public internet exchange (6PIX).



Priority Matrix


Perceived Value	H	A External Services WWW, DNS, Email Transit/Peering Backbone , IX	Nodes < 1K? Tiered Deploy ? Tier Criteria	
	M	Nodes <10K?	B Connectivity Expansion Access Networks	
	L		Nodes < 10M?	C Internal Use & All IPv6 Internal Services, Database, Desktop H/W, S/W
		L	M	H
		Cost Estimate		



Non-financial Risk

Issue List

1 v6/v4 fallback




2 DNS query increase

	FreeBSD	Linux	MacOS	Vista
A & AAAA query sequence order	A first	AAAA first	A first	A first
When does domain name completion occur	After A+AAAA	All AAAA completion	Alter A+AAAA	

3 Operational practice/technology takes time

	Idea	Current
IP	1969	1981
TCP	1974	1981
Telnet	1969	1983
IDN	1998	2004
IPv6	1994	1998

4 Cost of management for long term overlapping period



- doubles number of service interfaces
- requires changes above & below
- major interoperability issues



Gain & Loss

Every action has a price and pleasure

Perceived Gain

1. Meet pure IPv6 users/operators needs
2. Potential address needs: mobile-Internet, Internet of Things
3. Sustain ICT competitiveness

Perceived Loss

1. Financial risk: cost of deployment (ref: initial sizing)
2. Nonfinancial risk: service quality (ref. Issue List)
3. Future management cost (IPv4 Post-Transition)




Value Assessment

Item	Necessity	Perceived Value
A External Services WWW, DNS, Email Transit/Peering Backbone, IX	MUST	Complied with Telecom Act. s20: universal access right to all citizen s21: fair connection service s22: undeniable interconnection
B Connectivity Expansion Access Networks		
C Internal Use & All IPv6 Internal Services, Database, Desktop H/W, S/W	MAY	Only if IPv6 demonstrate its market momentum with positive externality at this stage



Proposed Schedule




	Proposed schedule	Reason	Remark
T ₀	Now	Ref : Activation Time	Must
T _a	T ₀ +2 Y	12M after IPv4 exhaustion	Must
T _b	T ₀ +4Y	Ref other country policy	Adjusted by budget
T _c	T ₀ +4Y	Ref other country policy	Adjusted by budget



Policy defined, It is just the beginning

IPv6 is not “plug and play”

- Standards/mandatory ?
- Infrastructure readiness ?
- Transit/peering ?
- Addressing ?
- Dual-stack/tunnelling ?
- v6 Routing protocols?
- Security?
- Cost?





Think Post-Transition Strategy First






IT Maturity Model

	Understanding and Awareness	Training and Communication	Process and Practice	Techniques and Automation	Compliance	Expertise
1	Recognition	Sporadic communication on issues	Ad hoc approach to process and practice			
2	Awareness	Communication on the overall issue and needs	Similar but intuitive process emerges	Common tools are appearing	Inconsistent monitoring on isolated issues	
3	Understanding of need to act	Informal training supports individual initiatives	Practices are defined, standardized and documented; sharing of better practices begins	Tool set is standardized; currently available practices are used and enforced	Inconsistent monitoring; measurement emerges; balanced score card adopted; root cause analysis is intuitive	Involvement of IT specialists in business processes
4	Understand full requirements	Formal training supports a managed program	Process ownership and responsibilities are set; process is sound and complete; internal best practices are applied	Mature techniques are used; standard tools are enforced; limited tactical use of technology	Balanced scorecard are used in some areas; root cause analysis is standardized	Involvement of all internal domain experts
5	Advanced. Forward-looking understanding	Training and communications support external best practices and use leading edge concepts	Best external practices are applied	Sophisticated techniques are deployed; extensive optimized use of technology	Balanced scorecard is globally applied; root cause analysis is always applied	Use of external experts and industry leaders for guidance




Organization vs. IT Transformation





IPv6 Transition Model





IPv6 Inventory Assessment

Item

IPv6 Inventory Assessment

Discover and document infrastructure readiness


Cost impacts of transition to IPv6

Inventory IP elements to understand the ability to support IPv6


Align element mapping to refresh cycles

Understand vendor and carrier dual stack roadmap

Methodology



Requirement Analysis Framework



Document Review Technique



Functions & Gov Agency

ISP IPv6 Innovation
Act

MOT

GSN Management

REDC

Administration

IPv6 Transition Office

Policy

STAG

Deployment

All Agencies

Procurement

PCC

Technology
Support

TWNIC



Strategic Policy for IPv6 Deployment

1. Political Return

P1 policy making

- Position statement for IPv6 deployment

P2 Greater participation

- RIR policy development

P3. Risk management

- IPv4 exhaustion

P4. Economic impact

- Reduce risk of ISP/ICP

3 Operation Efficiency

O1 service transform

- Government IPv6 deployment

O2 Policy Goal

- Business / service continuity

O3 Government responsibility

- complied with Telecom Act

2. Constituent Service

C1 increase value

- Training and awareness
- IPv6 product certification
- technology

C2 reduce cost

- Industrial innovative Act: Tax Credit


C3 single POC

- IPv6 transition office

C4 service availability

- Government network dualstack

Feasibility





Policy Value Assessment

	Current State	Intended State	Project Component
Political Return			
Policy making		Clear IPv6 Strategy	Position Statement
Greater participation	RIR participation	RIR participation	
Crisis management	IPv4 exhaustion	Minimal impact	IPv6 Transition
Constituent Service			
Constituent value		Certification/tech transfer	IPv6 Tech Support Center
Lower constituent cost		Lower cost for ISPs	Industrial innovation act
Single point of contact		Single POC	IPv6 Transition Office
Greater service availability	IPv4 only	IPv4/IPv6 availability	GSN dualstack deployment
Operational Efficiency			
Service Transformation	Ad hoc	Best practice	Phased IPv6 transition plan
Policy objectives	Service availability	Sustained service availability	Secure IPv6 migration
Gov responsibility		Complied with Telecom Act	IPv6 transition plan



IPv6 Policy Deliveries


	Current State	Intended State	Project Component
Political Return			
Policy making		Clear IPv6 Strategy	Position Statement
Greater participation	RIR participation	RIR participation	
Crisis management	IPv4 exhaustion	Minimal impact	IPv6 Transition
Constituent Service			
Constituent value		Certification/tech transfer	IPv6 Tech Support Center
Lower constituent cost		Lower cost for ISPs	
Single point of contact		Single POC	IPv6 Transition Office
Greater service availability	IPv4 on	IPv4/IPv6 availability	GSN dualstack deployment
Operational Efficiency			
Service Transformation	Av...	Best practice	Phased IPv6 transition plan
Policy objectives	Service availability	Sustained service availability	Secure IPv6 migration
Gov responsibility		Complied with Telecom Act	IPv6 transition plan



+6 Million v6 Users

6PIX

Procurement Drive Innovation



CapEx
OpEx



THANK YOU



Reference

1. Geoff Huston. 2010. IPv4 Address Report. Retrieved 5 May 2010, from <http://www.potaroo.net/tools/IPv4/>
2. Geoff Huston. 2010. Measuring more IPv6. The ISP Column. April 2010
3. Geoff Huston, Kenny Huang. 2010. Economic Considerations for IPv6 Transition. IPv6 Economics and Implementation Workshop, Kuala Lumpur. 2 March 2010
4. JPNIC. 2008. Report on Study Group on Internet Smooth Transition to IPv6.
5. JPNIC. 2009. Action Plan and Milestone – Toward IPv4 Address Exhaustion. October 5 2009.
6. Kahn, Herman, and Anthony J. Wiener. 1967. The Next Thirty-Three Years: A Framework for Speculation. *Daedalus*963 (1967):705-32
7. NIST (National Institute of Standards and Technology). 2010. Guidelines for Secure Deployment of IPv6. Special publication 800-119. Feb 2010
8. NRO.2010. Less than 10% of IPv4 Addresses Remain Unallocated. Number Resource Organization. Retrieved 05 May 2010, from <http://www.nro.net/media/less-than-10-percent-IPv4-addresses-remain-unallocated.html>
9. RFC2185 (Routing Aspects of IPv6 Transition)
10. RFC3142(An IPv6-to-IPv4 Transport Relay Translator)
11. RFC3053 (IPv6 Tunnel Broker)
12. RFC3056(Connection of IPv6 Domains via IPv4 Clouds)
13. RFC4213(Basic Transition Mechanisms for IPv6 Hosts and Routers)
14. RFC4214(Intra-Site Automatic Tunnel Addressing Protocol ISATAP)
15. RFC4380(Teredo:Tunneling IPv6 over UDP through Network Address Translations NATs)
16. RFC4966(Reasons to Move the Network Address Translator-Protocol Translator NAT-PT to Historic Status)
17. RFC5211(An Internet Transition Plan)
18. RFC5569(IPv6 Rapid Deployment on IPv4 Infrastructures (6rd))
19. RFC5572(IPv6 Tunnel Broker with the Tunnel Setup Protocol (TSP))
20. US Government. 2002. “eGovernment Strategy”, Feb 27 2002.
21. 曾憲雄(2010).政府網路及e政府網站導入IPv6參考要點, 新一代網際網路協定互通認證計畫